

B1  
1. (Twice Amended) Dewetting composition, comprising a solution of at least one surface-active agent in a mixture of at least one fluorinated solvent and of at least one water-immiscible polyfluorinated alcohol of formula:




in which n is equal to 1 or 2 and R<sub>f</sub> represents a linear or branched perfluoroalkyl radical containing from 4 to 8 carbon atoms,

wherein said composition does not exhibit a flash point under standard determination conditions (ASTM standard D 3828).

B2  
4. (Twice Amended) Composition according to Claim 1, wherein the fluorinated [flourinated] solvent has a normal boiling point of between 20 and 100°C.

B3  
6. (Twice Amended) Composition according to Claim 5 [Claims 4], wherein the fluorinated hydrocarbon is selected from 1,1,1,3,3-pentafluorobutane, 1,1,1,2,2,4,4-heptafluorobutane, 1,1,1,2,3,4,4,5,5,5-decafluoropentane, 1,1,1,2,2,3,3,4,4-nonafluorohexane, 1H-perfluorohexane, n-perfluorohexane, (perfluorobutyl)ethylene and perfluoro(methylmorpholine).

103  
7. (Twice Amended) Composition according to Claim 1, wherein the surface-active agent is a cationic surface-active agent obtained by reaction of a mono- or dialkyl phosphoric acid of formula:



in which p is a number ranging from 1 to 2 and R denotes a linear or branched alkyl radical containing from 1 to 18 carbon atoms, with [wiht] a quaternary ammonium chloride of formula:



in which R' and R'', which are identical or different, each represent a hydrogen atom or an alkyl or hydroxyalkyl radical containing 1 to 4 carbon atoms, and a fluorinated amine of formula:



in which R<sub>f</sub> represents a linear perfluoroalkyl radical containing from 2 to 20 carbon atoms, X represents a divalent bridge and the symbols R<sup>1</sup> and R<sup>2</sup>, which are identical or different, each represent a hydrogen atom or an alkyl or hydroxyalkyl radical containing 1 to 4 carbon atoms.

B4  
SEP 17  
11. (Twice Amended) Composition according to Claim 1,  
wherein said composition is in the form of a concentrate  
containing up to 30% by weight of surface-active agent(s).

B5  
SEP 17  
13. (Amended) Composition according to Claim 4,  
wherein the boiling point of the fluorinated solvent is  
between 30 and 75°C.

#### REMARKS

Reconsideration and allowance in view of the foregoing  
amendments and the following remarks are respectfully  
requested.

Claims 1-15 are presently pending in this application  
and stand rejected. By this Amendment, the specification  
has been amended to correct a typographical error and claims  
1, 4, 6, 7, 11 and 13 have been amended.

More specifically, claim 1 has been amended to  
emphasize that the polyfluorinated alcohol is water-  
immiscible and that the composition does not exhibit a flash  
point under standard determination conditions (ASTM standard  
D 3828). Specific support for these amendments can be  
found, for example, on page 3, lines 8-13 and 23-25. Claims  
4 and 7 have been amended to correct misspellings. Claim 6